



ELSEVIER

Colloids and Surfaces

A: Physicochemical and Engineering Aspects 109 (1996) xi-xii

COLLOIDS
AND
SURFACES

A

Contents of Volume 109

Special Issue: A collection of invited papers by Japanese researchers

| | |
|--|-----|
| <i>Preface</i> | ix |
| <i>1. Aerosols</i> | |
| Three-dimensional simulation of air cyclone and particle separation by a revised-type cyclone H. Yoshida (Higashi-Hiroshima, Japan) | 1 |
| Flow-field prediction and experimental verification of low Reynolds number gas-particle turbulent jets S. Yuu, K. Ikeda and T. Umekage (Kitakyushu, Japan) | 13 |
| Dry dispersion of fine particles H. Masuda and K. Gotoh (Kyoto, Japan) | 29 |
| Experimental evaluation of ion-induced nucleation in nanometer-aerosol formation by α -ray radiolysis of SO ₂ /H ₂ O/N ₂ mixtures M. Adachi, K. Okuyama, T.-o. Kim, H. Kadono and S.J. Cho | 39 |
| <i>2. Colloidal Dispersions</i> | |
| Production of core-shell composite polymer particles utilizing the stepwise heterocoagulation method M. Okubo and Y. Lu (Kobe, Japan) | 49 |
| Preparation of colloidal silver-palladium alloys by UV-irradiation in mixtures of acetone and 2-propanol K. Esumi, M. Wakabayashi and K. Torigoe (Tokyo, Japan) | 55 |
| Relation between yield stress and column thickness in electrorheological fluids Y. Otsubo (Chiba-shi, Japan) and K. Edamura (Tokyo, Japan) | 63 |
| Electrophoretic mobility of a particle covered with a partially ion-penetrable polyelectrolyte layer H. Ohshima and K. Makino (Tokyo, Japan) | 71 |
| Importance of electrical double layers in structural and diffusional properties of deionized colloidal suspensions T. Okubo (Kyoto, Japan) | 77 |
| Viscoelastic characterization of solid-like structure in aqueous colloids of globular proteins H. Inoue and T. Matsumoto (Kyoto, Japan) | 89 |
| Preparation of monodisperse microspheres using the Shirasu porous glass emulsification technique S. Omi (Tokyo, Japan) | 97 |
| Dispersion mechanism of coagulated particles in liquid flow Y. Endo and Y. Kousaka (Sakai, Japan) | 109 |
| Direct observation of the formation of loop-like agglomerates of spindle-type hematite particles due to weak magnetic interactions M. Ozaki, J. Sanada and A. Isobe (Yokohama, Japan) | 117 |
| Magnetic properties of ultrafine magnetite particles and their slurries prepared via in-situ precipitation J. Lee, T. Isobe, M. Senna (Yokohama, Japan) | 121 |
| Adsorption activity and conformation of α -amylase on various ultrafine silica particles modified with polymer silane coupling agents A. Kondo (Kobe, Japan), T. Urabe and K. Yoshinaga (Kitakyushu, Japan) | 129 |
| Rotational diffusion of ellipsoidal latex particles in dispersion as studied by depolarized dynamic light scattering H. Matsuoka, H. Morikawa and H. Yamaoka (Kyoto, Japan) | 137 |
| Modification and functionalization of hydrogel microspheres H. Kawaguchi, K. Fujimoto, Y. Nakazawa, M. Sakagawa, Y. Ariyoshi, M. Shidara, H. Okazaki (Yokohama, Japan) and Y. Ebisawa (Osaka, Japan) | 147 |
| Preparation of monodisperse platelet-type hematite particles from a highly condensed β -FeOOH suspension T. Sugimoto, S. Waki, H. Itoh and A. Muramatsu (Sendai, Japan) | 155 |
| Effects of magnetic field on water investigated with fluorescent probes K. Higashitani, J. Oshitani and N. Ohmura (Kyoto, Japan) | 167 |

| | |
|--|-----|
| Desorption behavior of polystyrene from porous glass beads; studied by continuous elution method M.-H. Chen, K. Furusawa (Ibaraki, Japan) | 175 |
| <i>3. Micelles and emulsions</i> | |
| Interfacial properties and emulsification in systems of perfluoropolyether/non-fluorinated oil/partially fluorinated oligomeric and polymeric compounds M. Morita, M. Kubo (Osaka, Japan) and M. Matsumoto (Kyoto, Japan) | 183 |
| Immune lysis assay of antibodies by use of antigen-coupled liposomes S. Katoh (Kyoto, Japan), M. Kishimura and K. Tomioka (Hyogo, Japan) | 195 |
| Solubilization of arenes and <i>n</i> -Alkylbenzenes into ionic surfactant micelles Y. Moroi, T. Morisue, M. Take-uchi and O. Shibata (Fukuoka, Japan) | 201 |
| Phase behaviour of polyoxyethylene hydrogenated castor oil in oil/water system H. Kunieda, Y. Hasegawa, A.C. John (Yokohama, Japan), M. Naito and M. Muto (Tokyo, Japan) | 209 |
| Mechanism of protein solubilization in sodium bis(2-ethylhexyl) sulfosuccinate water-in-oil microemulsion K. Kawakami, M. Harada, M. Adachi and A. Shioi (Kyoto, Japan) | 217 |
| Determination of binding constants of sodium and chloride ions and aggregation numbers of amphoteric surfactant microemulsions by a novel numerical analysis K. Yoshihara, N. Momozawa, T. Watanabe, K. Kamogawa, H. Sakai (Chiba, Japan) and M. Abe (Tokyo, Japan) | 235 |
| Synthesis of monodisperse ZrO ₂ particles in polyoxyethylated nonionic reversed micelles T. Kawai, A. Fujino and K. Kon-No (Tokyo, Japan) | 245 |
| Enzymatic reaction in water-in-oil microemulsions Y. Miyake (Suita-city, Japan) | 255 |
| Dodecyltrimethylamine oxide micelles: stability, aggregation number and titration properties H. Maeda (Fukuoka, Japan) | 263 |
| Dispersion of stratum corneum in aqueous mixed solutions of surfactant and terpene: the effect of mixtures of <i>N,N</i> -dimethyldodecylamine oxide and α -Terpineol K. Takahashi, M. Hosaka, Y. Hanabusa, E. Ogawa, N. Suzuki, S. Hayashi, E. Yamada, M. Takahashi, S. Fukushima, H. Kamoda and M. Ueno (Tokyo, Japan) | 273 |
| Effect of the head group of phospholipids on the acyl-chain packing and structure of their assemblies as revealed by microcalorimetry and electron microscopy M. Kodama and T. Miyata (Okayama, Japan) | 283 |
| SANS investigation of supramolecular assemblies constructed in aqueous alkyldimethylamine oxide solutions with organic additives T. Imae (Nagoya, Japan) | 291 |
| Structure and properties of AOT reversed micelles as studied by the fluorescence probe technique M. Hasegawa, T. Sugimura, Y. Shindo (Chiba, Japan) and A. Kitahara (Tokyo, Japan) | 305 |
| <i>4. Films and Surfaces</i> | |
| Molecular assembly formation in a solid nanospace K. Kaneko (Chiba, Japan) | 319 |
| Molecularly resolved observation of anisotropic intermolecular force in a formate-ion monolayer on a TiO ₂ (110) surface scanning tunneling microscopy H. Onishi, K.-i. Fukui and Y. Iwasawa (Tokyo, Japan) | 335 |
| Surface forces between protein A adsorbed mica surfaces M. Hato (Ibaraki, Japan), M. Murata (Tokyo, Japan) and T. Yoshida (Shizuoka, Japan) | 345 |
| Two-dimensional self-assembly of colloids in thin liquid films K. Nagayama (Tokyo, Japan) | 363 |
| Specific adsorption of flagellar FliF protein ring on mica surfaces as studied by atomic force microscopy and FT-IR spectroscopy K. Kurihara, M. Mizukami, K. Suzuki and K. Oosawa (Nagoya, Japan) | 375 |
| Author Index | 385 |
| Subject Index | 386 |

